



# Moodlakatte Institute of Technology

(A Unit of Moodlakatte Nagarathna Bhujanga Shetty Trust (R.))

(Approved by AICTE, New Delhi & Affiliated to VTU, Belagavi)

Moodlakatte - 576 217, Kundapura Taluk, Udupi District, Karnataka

The overall PO-PSO Attainment of 2018-23 Electronics and Communication Engineering students are as shown in the below table 2.6.2


**Table 2.6.2 overall PO-PSO attainment through direct and indirect assessment for 2018-23**

## Batch Electronics and Communication Engineering

Course code	PO1	PO2	PO3	PO4	PO5	PO6	PO7	PO8	PO9	PO10	PO11	PO12	PSO1	PSO2
C101	2.28	2.31	2.48	2.66	2.46	2.51	2.58	2.62	2.46	2.52	2.75	2.43	2.26	2.32
C102	2.42	2.42	2.71	-	2.37	2.62	2.66	-	-	-	-	2.55	-	-
C103	2.58	2.5	2.5	2.41	2.58	-	-	-	-	-	-	-	2.42	-
C104	2.43	-	2.44	-	-	-	2.38	-	-	-	-	2.42	2.43	-
C105	2.32	-	-	-	-	-	-	-	-	-	-	2.31	-	-
C106	2.98	-	2.97	2.98	2.98	-	-	-	-	-	2.98	2.98	-	-
C107	2.88	2.88	2.89	-	-	-	-	-	-	-	-	-	-	-
C108	-	-	-	-	2.67	-	-	-	2.67	2.67	-	2.67	-	-
C109	2.54	2.51	-	-	-	-	-	-	-	-	-	-	-	-
C110	2.65	2.65	-	-	2.64	2.65	-	-	2.64	-	2.65	2.65	-	-
C111	2.6	2.58	2.57	2.57	-	2.56	2.57	-	-	-	-	2.59	2.59	2.59
C112	2.6	2.6	2.59	-	-	-	-	-	-	-	-	2.61	-	2.65
C113	2.76	2.76	2.76	2.76	2.76	-	-	-	-	-	-	-	-	-
C114	2.65	2.65	2.65	-	2.65	2.65	-	-	2.65	2.65	-	2.65	-	-
C115	-	2.65	2.65	2.65	2.65	-	-	2.65	2.65	2.65	-	2.65	2.65	2.65
C116	-	-	-	-	2.89	-	-	-	2.89	2.89	-	2.89	-	-
C201	2.06	2.07	-	-	-	-	-	-	-	-	-	2.06	-	-
C202	1.62	1.62	-	-	1.62	-	-	-	1.62	-	-	-	1.62	-
C203	1.78	1.73	-	-	1.76	-	-	-	1.76	-	-	1.86	1.78	1.76
C204	2.03	2	1.97	-	2.12	-	-	-	1.74	1.74	-	2.03	2.03	2.01
C205	1.96	2.06	-	-	1.91	-	-	-	-	2.06	-	-	-	1.96
C206	2.07	2.06	-	-	-	-	-	-	-	2.07	-	2.09	2.07	-
C207	2.8	2.8	-	2.8	2.8	-	-	-	2.8	2.8	-	2.8	-	2.8
C208	2.71	2.72	-	-	2.71	-	-	2.71	2.71	2.71	-	-	2.71	2.71
C209	2.09	2.09	-	-	-	-	-	-	-	-	-	2.09	-	-
C210	2.09	2.09	-	-	2.09	-	-	-	2.09	2.09	-	2.09	2.09	2.09
C211	2.01	2.02	-	-	-	-	-	-	-	-	-	-	2.01	-
C212	2.08	2.08	-	-	-	-	-	-	-	-	-	-	2.08	-
C213	1.98	1.9	-	-	-	-	-	-	-	-	-	1.95	1.96	1.91
C214	1.83	1.83	-	-	-	-	-	-	-	1.83	-	-	1.83	-
C215	2.08	2.08	2.08	-	2.08	-	2.08	-	2.08	2.08	-	2.08	2.08	2.08
C216	2.03	2.03	2.09	-	1.98	-	-	2.09	2.03	2.09	-	2.04	-	2.03
C217	-	-	-	-	-	2.17	-	2.18	2.18	2.18	-	2.18	-	-
C301	2.67	-	-	-	-	-	-	-	2.67	2.67	-	2.67	-	-
C302	2.22	2.25	-	-	-	-	-	-	-	-	-	-	2.22	2.38
C303	2.09	2.04	-	-	2.06	-	-	-	-	-	-	-	2.11	-
C304	2.2	2.18	-	-	-	-	-	-	-	-	-	-	2.18	-
C305	1.99	1.99	-	-	-	-	-	-	-	-	-	-	-	-
C306	2.46	2.39	2.62	-	2.62	-	-	-	-	-	-	-	2.44	-
C307	2.43	2.43	-	2.42	2.42	-	-	-	-	2.43	-	-	2.43	-
C308	2.44	2.42	2.39	-	2.43	-	-	-	-	2.43	-	-	2.43	-
C309	-	2.47	-	2.21	-	-	2.91	-	-	-	-	2.55	-	-

Principal  
Moodlakatte Institute of Technology  
Moodlakatte - 576217  
Udupi District, Karnataka

C310	2.02	2.03	-	-	-	-	-	-	2.06	2.06	-	-	2.02	2.04
C311	2.54	2.54	2.51	-	-	-	-	-	2.53	2.53	-	2.54	2.54	2.54
C312	2.07	2.07	2.07	-	-	-	-	-	-	-	2.21	-	-	2.07
C313	2.09	2.09	-	-	2.09	-	-	-	-	-	-	2.09	-	-
C314	1.63	1.78	1.78	-	-	-	-	-	-	-	-	-	1.64	-
C315	2.24	2.39	2.41	-	-	-	-	-	-	-	-	-	-	-
C316	2.43	2.46	-	-	2.31	-	-	-	-	-	-	-	2.43	2.29
C317	2.7	2.7	-	-	2.68	-	-	-	2.7	2.7	-	-	-	2.7
C318	2.66	2.68	2.66	2.66	2.66	2.65	2.65	-	2.66	2.66	-	-	-	2.65
C401	2.42	2.41	-	-	-	-	-	-	-	-	-	-	2.42	-
C402	1.88	1.72	1.72	-	-	-	-	-	-	-	-	-	1.86	-
C403	1.96	1.84	-	-	-	-	-	-	1.84	-	-	-	1.84	-
C404	2.81	2.8	-	-	-	-	-	-	-	-	-	-	2.8	-
C406	2.26	2.26	-	-	2.26	-	-	-	2.26	2.26	-	-	2.26	2.26
C407	2.92	-	-	-	2.92	-	-	-	-	2.92	-	-	2.92	-
C408	1.82	-	-	-	1.93	-	-	-	-	-	-	1.82	-	-
C409	2.5	2.46	-	-	-	-	-	-	2.41	2.41	-	-	2.45	2.46
C410	2.49	2.49	-	-	-	-	-	-	-	-	-	-	2.49	-
C411	2.96	2.96	2.94	2.96	2.95	-	-	2.93	2.96	2.93	-	2.96	-	2.96
C412	2.92	2.92	-	-	2.92	2.92	-	-	2.92	2.92	-	2.92	2.92	-
C413	2.9	2.9	2.9	2.9	2.9	-	-	-	2.9	2.9	2.9	2.9	2.9	2.9
Total PO, PSO Attainment through Direct Assessment	2.34	2.32	2.44	2.66	2.45	2.59	2.55	2.53	2.42	2.46	2.7	2.42	2.28	2.37
80% of total PO, PSO Attainment through Direct Assessment	1.87	1.86	1.96	2.14	1.96	2.07	2.04	2.02	1.94	1.97	2.16	1.94	1.82	1.9
20% of total PO, PSO Attainment through Indirect Assessment	0.56	0.56	0.56	0.53	0.55	0.55	0.5	0.55	0.53	0.53	0.46	0.57	0.46	0.48
Overall PO, PSO attainment of 2018-23	2.43	2.42	2.52	2.67	2.51	2.62	2.54	2.57	2.47	2.5	2.62	2.51	2.28	2.38



Principal  
Moodlakatte Institute of Technology  
Moodlakatte, Tal. P. Epur - 576217  
Udupi Dist., Karnataka